New Available

Any data is subject to change without any notification

Last Update:

	Any data is	subject to c	hange without any	notification	Last Update:								29 10 2020	
Schedule	Category	Section	Feature	Feature detail 1	Feature detail 2	Feature Finetuning (FFT)	FFT Schedule	Firmware required	SMB / Free	!	Enterprise / Paid	Cloud To-Go app [20200826]	Comment	
active	Login		 Support FB 						•		•	•		
active	(Login Page)		Support EnGenia	us Partner Portal Single	e-Sign-On				•		•	•		
active			Support Google Login						•		•	•		
	Organizati	Multi-		e Organizations for use	r to he able to	Org name will be					•	0		
uctive	_			fferent Organizations	i to be ubic to	the user's						ŭ		
	Login (Login Page) Organizati on tree (in left of top menu) Dark Mode (light/dark icon in Information (Question mark i menu) Notification (Bell in right of t User Menu (Initials icon in right of top menu) Manage/ Monitor (Main Menu item)	Organizati ons		merenii Organizations		account name								
			 Admin Account 						5	Δ	Unlimited	•		
			 Admin Account 	Admin can delete admin when			20200923		•		•	•		
			Management	admin in a Org., so user can move the Org from one user account to another user			20200923							
active			• "Network" as a	group configuration and	d includes AP.				•		•	•		
			Switch, SkyKey	5 - 1 P - 1 - 1 - 1	,									
active				f "Hierarchical View" a	s group of									
400.70	Organizati on tree (in left of top menu) User Privili Dark Mode (light/dark icon in top ri Information (Question mark icon in tight of top menu) Notifications (Bell in right of top menu) Vaer Menu (Initials icon in right of top menu) Tour API K Notifi Accood Delett Logou Manage/ Monitor (Main Menu item) Access Point		Networks	Theraremear view a	3 Broup or									
active			Organization-	Country					•		•	•		
active			wide default	Network Time zone										
active		Hear			/Ora									
active				fultiple levels of administration users (Org min/Viewer; Network Admin/Viewer/Frontdesk)							•	•		
			Toggle Dark mode	Toggle between light (normal)	and Dark Theme				•		•	х		
active			User manual	Redirect to User manual, also i	icludes Release notes and				•		•	х		
		icon in top right		Microsite										
active	iciiaj		EnGenius Remote	Customer can provide Rando Faccasive Suppose to see to s					•		•	•		
			Access	for EnGenius Support team to customer's Cloud settings	be able to remotely access									
activo	Motification		• Email Jann											
			 Email /app notification to 	o device up / down o device changed (add/remove	2)				•					
active	-				=)				•		•	•		
active		Edit Profile	First/last name / c	ompany					•		•	•		
	-													
		Password	change						•		•	•		
active		Two-Factor	-Authentication op	tion for user account					•		•	•		
active		Language	Multi language	English					•		•	•		
active				Simplified Chinese					•		•	•		
active		Tour	of the UI						•		•	х		
active		API Key	Create / Edit API						•		•			
active		Notification							•		•	•		
active		Account	Be able to delete	a my profile										
active			• be able to delete	e my prome								, and the second		
activo		Logout									•			
active	Manage/ Monitor (Main Menu	_	• Log out from the						_					
		Dashboard	• Support visualized dashboard	O Radar Health Check chart O Overview Switch/AP/Clients with redirect to page					0		0	0		
									0		0	0		
active				o Throughput					0		0	0		
active				o Top N report	Top Access Points				0		0	0		
active					Top Clients				0		0	0		
active					Top SSIDs				0		0	0		
active				o Layer 7 Application ranking					0		0	0		
active				o Top Device OSs					0		0	0		
active		Access	AP List	Name					•		•	0		
active		Points		• MAC					0		0	0		
active				Model Name					0		0	0		
active						Channel					0		0	0
active							• WAN IP					0		0
active				• LAN IP					0		0			
active				FW Version					0		0			
active				Uptime					0		0	0		
active				Last Update					0		0			
active				Mesh Mode					0		0			
active				Actions					•		•			
active			Change Device N	Name					•		•	•		
active			• Fold-down	Client qty					0		0			
active			quick menu	throughput					0		0			
active				channel utilization					0		0			
active											•			
				• Radio quicksettings		Able to partially override radio settings under AP list expansion view. User can choose "Network Setting" from drop down list, which will inherit from Network Radio setting	20200601							
active				SSID monitoring					•		•			

New Available

Any data is subject to change without any notification

Last Update:

	Ally data is	,	nange without any	y notification Last Update:									29 10 2020	
Schedule	Category	Section	Feature	Feature detail 1	Feature detail 2	Feature Finetuning (FFT)	FFT Schedule	Firmware required	SMB / Free	!	Enterprise / Paid	Cloud To-Go app [20200826]	Comment	
active				Mesh enable/disable					•		•			
active				Quickmap					0		0			
active			Details: AP		Display of AP Details				0		0	0		
			detail page	AP Details	• LED on/off				•		•	•		
					• LED Blinking				•		•	•		
				Real Time Meters	• CPU				0		0	0		
					Memory				0		0	0		
					Throughput				0		0	0		
				Summary	SSID information				0		0	0		
					Throughput per SSID				•		•			
					• Radio Settings	Adjust the max Tx power to match the model	20201018		•		•	•		
active					Mesh							•		
					• IP adressing	Management VLA	20201018		•		•	•		
active					Photo				•		•	•		
				Port Settings	For ECW115: VLAN / VLAN ID				•		•			
				• Logs	VLAN / VLAN ID				0		0	0		
				• Clients					0		0	0		
			• Reboot						•		•	•		
			Replace						•		•	•		
			• (Google) Map	Support Google map					•		•			
active				Support device management	t (add, move, remove)				•		•			
active				Building quick link					•		•			
active			• Floor Plans	• indoor floor map					•		•			
active				Building quick link					•		•			
active				Support device management	t (add, move, remove)				•		•			
				Heatmap		show "RSSI" value on heat map	20200601		•		•			
				Add obstacles					•		•			
		Switches	Switch List	• Name					•		•	0		
		Switch list with		MAC Model Name					0		0	0		
		change		• WAN IP					0		0	0		
		name,		• LAN IP					0		0			
		reboot and		Port (Active/Total)					0		0			
		link to		• FW Version					0		0			
		switch		Uptime					0		0	0		
		detail		Last Update					0		0			
		page:		Actions					•		•			
active			Change Device in	name					•		•	•		
active			• Fold-down	• port view					0		0			
active			quick menu	VLAN status					0		0			
active				PoE /STP status					0		0			
			• Reboot						•		•	•		
			• Replace						•		•	•		
			• Details	 Switch details 	display of switch details				0		0	0		
			(Switch Detail		Link to topology				0		0			
			Page)	Real Time Meters	• CPU				0		0	0		
					Memory				0		0	0		
				• Summary	• Ports				0		0	0		
active					PoE Usage per Port				0		0	0		
active					• IP addressing	Management VLA	20201021		•		•	•		
active					• VLAN				•		•	•		
active					Photo				•		•	•		
				System Setting (need	Spanning Tree Protocol				•		•	0		
				tick to override	• LLDP						•	0		
				networkwide settings)	Voice VLAN				•		•	0		
					Quality of Service						•	0		
					(QoS)									
					IGMP Snooping				•		•	0		
					Jumbo Frames				•		•	0		
active					Local GUI	Disable / Enable	20201021		•		•			
active				Port Setting	• Link				•		•	0		
active					• Label				•		•			
active					• Speed / Duplex				•		•	0		
					• PoE				•		•	0		
					• VLANS				•		•	0		
					Port Isolation				•		•			
active					Rate Limit				•		•			

New Available

Any data is subject to change without any notification

Last Update:

	o x	Comment
Company Comp	о х	
Clients Client List Client Rename Client Rename Client Rename Client Rename Client Residence	о х	
Company Comp	х	
Company Company Show Topology Show Topology of Cloud Switch and AP's Show sink speed and trunk port Show all AP connecting to our switch	х	
active active Topology • Show Topology of Cloud Switch and AP's active active Clients • Client Traffic Per SSID • Top Applications (layer 7 application Ranking) • Client List Client Rename ACTIVE Client List Client Seen Loss SSID O O Last Seen Lost Associated AP SSID O O Rate Co Co Co Co Co Co Co Co Co C	х	
Topology of Cloud Switch and AP's active active Clients Clients Client List Client List Client List Client List Client Seen active ac	х	
of Cloud Switch and AP's Shows connected Switch port Shows ink speed and trunk port	х	
Client C	х	
Active	х	
Client C	х	
active • Top Applications (layer 7 application Ranking) 0 0 active • Client List Client Name 0 0 active MAC 0 0 active Last Seen 0 0 active SSID 0 0 active RSSI 0 0 active Rate 0 0	х	
active Client List Client Name O O active MAC O O active Last Seen O O active SSID O O active OS O O active RSSI O O active Rate O O	х	
active Client Rename • • • • active MAC O O active Last Seen O O active Last Associated AP O O active SSID O O active OS O O active RSSI O O active Rate O O	х	
active MAC O O active Last Seen O O active Last Associated AP O O active SSID O O active OS O O active RSSI O O active Rate O O		
active Lost Seen O O active Lost Associated AP O O active SSID O O active OS O O active RSSI O O active Rate O O		
active Lost Associated AP O O active SSID O O active OS O O active RSSI O O active Rate O O		
active SSID O O active OS O O active RSSI O O active Rate O O		
active OS O O active RSSI O O active Rate O O	0	
active RSSI O O active Rate O O	0	
active O O	0	
	0	
active Download O O		
active Upload O O		
active Block (from SSID) • •		
active Block Network Wide • •		
active VIP (whitelist) client AP: 1.3.10 • •		
active • Client Detail Client Name	0	
active Page RSSI Icon	0	
active Band	0	
active Download Upload Upload	0	
	0	
active Last Seen (time ago) active MAC	0	
active IP address	0	
active os	0	
active Vendor (Icon)	0	
active (Wi-Fi)SSID	0	
active Lost Associated AP	0	
active Lost Associated radio	х	
active Access Control Block Network Wide	•	
active Block From SSID	•	
active Kick	•	
● Client Timeline "go-to-bottom" "go-to-top" by default only last day is unfolded ● Client Timeline Default only last day is unfolded	PLFD	
Exposure Analisys by default only last day is unfolded On the Company of the Compan	х	
active Configure (Main Menu item)	•	
active list with Radio • • • earlive add / Wi-Fi Security • • •	•	sequence change
active add / Wi-Fi Security Open • •		
active OWE • •	•	
active WPA2 Personal • •	•	
active WPA3 Personal (SAE) - • • • WPA3 only	•	
active WPA3/WPA2 Personal • •	•	
mixed		
active WPA2 Enterprise • • • • • • • • • • • • • • • • • • •	•	
active WPA3 Enterprise • • • • solution • • • • • • • • • • • • • • • • • • •	•	
and print Si	save as picture	
active 802.11r • • •	•	
active 802.11w • •	•	
active Client IP mode NAT Mode • •	•	
active Custom DNS • •		
	•	
active Bridge Mode • • • • • • • • • • • • • • • • • • •		

New Available

Any data is subject to change without any notification

Last Update:

	rany data is	,	nange without any		Last Opdate:								29 10 2020							
Schedule	Category	Section	Feature	Feature detail 1	Feature detail 2	Feature Finetuning (FFT)	FFT Schedule	Firmware required	SMB / Free	!	Enterprise / Paid	Cloud To-Go app [20200826]	Comment							
				Enable Application Analysis					•		•		feature name							
				Advanced Settings	L2 Isolation						_	_	change							
				Advanced Settings	Bandsteering (11v) (Balance/Prefer/Force with RSSI Threshold and client%)				•		•	•								
			Bandwidth Limitation	Upload / Download (Mbps) per	user / SSID				•		•	•								
			Captive portal	Click-through					•		•	•								
				EnGenius Authentication					•		•	•								
				Custom Radius	Туре				•		•	•								
					Server 1/2				•		•									
					NAS ID (IP /Port)			v1.3.10	•		•									
				Voucher Service: add Access Pl	Accounting server 1/2				•		•	_								
				Social Login	un						•	•								
				Redirect URL					•		•	•								
				Advanced Setting: Timeout / W	/alled Garden				•		•	•								
			Splash page	external Splash Page URL					•		•	•								
active				Local Splash Page					•		•	•								
active				WYSWYG editor					•		•	preview								
				enhanced WYSWYG:	Background image be able to edit as well				•		•									
				Upload image can be				•		•										
			SSID broadcast	Weekly schedule	resized				•		•	•								
			Schedule Access Control	Block client from access netwo	rk			v1.3.4	•		•	•								
				vithin same Network					•		•									
		Radio	Band on/off						•		•									
active		Settings (indoor /	channel (fixed / au	ıto)					•		•									
			channel HT mode			channel range display			•		•									
		outdoor model	Tx Power						•		•									
		separated	Minimum Bitrate						•		•									
active)	Client Limitation						•		•									
			Discard 802.11a/b	/g					•		•									
			Disable 11ax in 2.4						•		•									
											Disable 11ax in 5G Mesh (Select Band	1 Auto Pairing)		When mesh is set, Tx power will be adjusted to max. Individually enable mesh function for indoor or autdoor.	20200708	08 v1.3.7	•		•	
						outdoor.														
		Cloud	Radius users						•		•									
		Radius Firmware	Authorized SSIDs	led automated firmwar	o unarado ot				•		•									
		Upgrade		ied automated firmwar week seperated AP and																
		Alert	AP	Configuration changed within r					•		•									
active		Setting		AP goes offline					•		•									
active				Event					•		•									
			Switch	Configuration changed within r	network				•		•									
				Switch goes offline					•		•									
				Switch port link status change					•		•									
				Switch STP port status change Any/specific switch port(s) char	naed link sneed						•									
				Event	пуса тк эреси				•		•									
		VLAN Settin	Network-Wide VI	AN Settings (Can be overru	led by individual switch				•		•									
		Switch	Network-Wide	Spanning Tree Protoco					•		•									
		General	Network	Country					•		•									
active		Settings		Timezone					•		•									
active		(Global)		Global Login	For AP/switch local GUI (username / password)				•		•									
				Credential	(ascinanie / password)			v1.1.29	•		•									
			AP	Led Light Lan Port Settings	For ECW115:				•		•									
				Syslog Server Settings	VLAN / VLAN ID				•		•									
				advanced settings	Presence reporting				•		•									
active				Ü	Traffic log				•		•									
			Switch	Syslog Server Settings					•		•									
		Access	Blocked List				2020101		•		•									
active		Control	VIP List				20201018		50		50									

New Available

Any data is subject to change without any notification

Last Update:

29 10 2020

hedule	Category	Section	Feature	Feature detail 1	Feature detail 2	Feature Finetuning (FFT)	FFT Schedule	Firmware required	SMB / Free	!	/ Paid	Cloud To-Go app [20200826]	Comme
	Analyze (Main Menu	Event Logs	Device Event	Device changed with timest Device down with timestan		,			7 days	Δ	1 year	0	
ctive	item)		 System Event 	o Cloud user account creation	n/deletion/modification				7 days	Δ	1 year	0	
ctive			 Config Log 	O Configuration changed with	cloud user ID and timestan	n p			7 days	Δ	1 year	0	
ctive	EnSky	Skykey	Listing, add to / re	move from network					•		•	o just list	
tive	Team Mem	ber	Delete						•		•	•	
tive			Invite	assign to network					•		•	•	
tive				assign permission					•		•	•	
tive	Organizati	Inventory	Register	Single					•		•	•	
tive	on	Managem		Multiple entries					•		•		
	(in bottom of	ent	 Deregister 						•		•	•	
tive	main menu)			e scanning for registra	tion with app				0		0	•	
tive			• Change Name	0 - 10 - 1					•			•	
tive			Assign to / Remo	ove from Network					•			•	
tive		Security		FA (For active network	(1								
tive		Privacy			.,						•		
LIVE		riivacy	Enable / Disable E	xposure Analysis									
	HotSpot Front- Portal (Login to cloud with		• Guest Pass (creation)	Select Access Plan	Default plans or custom plans defined by admin (under captive portal)				•		•		
tive	account) (Need to have hotspot enabled) https://cloud.engenius.ai/front desk			Auto Generation of Vouche		limit 100 voucher for SMB	20200629		100	Δ	Unlimited		
tive				Manual Entry						Δ	Unlimited		
tive			 Guest Management (List for Voucher 	• Edit					•		•		
tive			Management)	Delete					•		•		
tive			, , , , , , , , , , , , , , , , , , ,	Print					•		•		
tive				export to .csv					•		•		
tive				Conversation				tba		•	•		
tive			EnGenius Remote Support authorization					tba		•	•		
tive	Client Notifications Warning message		pop-up for "Blocked (Client"			v1.3.5						
tive	Device Beh	avior	Device Locat Settin	ng will overide Cloud :	Lst time on-board			AP v1.3.4 / SW v1.1.29					
	Firmware	АР	Beta					v1.3.11					
tive		<i>.</i> "	stabile					v1.3.10					
		Switch	Beta					v.1.1.40					
tive		SWILLII	stabile					v.1.1.40					
tive			Stabile					V.1.1.30					
+1	A	Indoe:	ECW/120	11aa W/2 2::2	soiling as suret								
	Access	Indoor	ECW120	11ac W2 2x2 11ax 2x2	ceiling mount				•			•	
	points		ECW220	-	ceiling mount				•		•		
tive			ECW230	11ax 4x4	ceiling mount				•		•	•	
tive 			ECW115	11ac W2 2x2	wall plate				•		•	•	
tive		Outdoor	ECW160	11ac W2 2x2	outdoor IP67				•		•	•	
tive			ECW260	11ax 2x2 N-type	outdoor IP67				•		•	•	
	Switches		ECS5512FP	8x 10GbE 4SFP+	PoE.bt 420W				•		•	•	
tive			ECS5512	8x 10GbE 4SFP+					•		•	•	
tive			ECS2512FP	8x 2.5GbE 4SFP+	PoE.bt 240W				•		•	•	
tive			ECS2512	8x 2.5GbE 4SFP+					•		•	•	
tive			ECS1552FP	48x 1GbE 2SFP+	PoE.at 740W				•		•	•	
tive			ECS1528FP	24x 1GbE 2SFP+	PoE.at 410W				•		•	•	
tive			ECS1552	48x 1GbE 2SFP+					•		•	•	
tive			ECS1528	24x 1GbE 2SFP+					•		•	•	
tive			ECS1112FP	10x 1GbE 2SFP+	PoE.at 130W				•		•	•	
tive			ECS1008P	8x 1GbE	PoE.af 55W				•		•	•	

black text: already implemented; Blue text: under current development; Gray text: Planned; | • active feature (editable) | o Passive feature (monitoring) PLFD: Paid License Feature Debut (now available but will later only be avaible in Paid Version)